

PACKAGED 4-IN-1 AIR COMPRESSORS 7.5 kW-22 kW

**Compressor + Dryer +
Air Tank + Filtration**

Designed to simplify installation, reduce footprint, and cut energy waste this is your all-in-one solution for clean, reliable compressed air, with fast setup and minimal fuss.

Screw Air Compressor

- ✓ High-efficiency IE4 motor
- ✓ Twin-rotor air end
- ✓ Premium oil separation
- ✓ Longer life, lower energy use, easier maintenance



Refrigerated Air Dryers

- ✓ Delivers clean, dry compressed air
- ✓ High-efficiency cooling reducing corrosion
- ✓ Cutting energy use by 50%
- ✓ Protecting your tools, processes and bottom line

Air Tank

- ✓ Built-in air tank, stabilises pressure
- ✓ Reduces compressor cycling
- ✓ Ensures consistent airflow for peak efficiency

Precision Filter

- ✓ Continuously monitors residual oil & dew point
- ✓ Ensures ISO 8573 Class 1 air quality
- ✓ Protects with early fault detection

**Our In-Stock Models
Recommended For
Laser Cutting**

- 15 kW 16 bar
- 22 kW 16 bar
- 22 kW 20 bar

- ✓ Reduces heat/oxidation
- ✓ Improves efficiency and reduces operating costs
- ✓ Increases safety by preventing fires and damage
- ✓ Enhances edge quality by blowing away molten material

☎ 03 8768 8072

✉ sales@sollantcompressors.com.au

📍 32 Gaine Road, Dandenong South,
VIC 3175

Try Risk-Free*

- ✓ Try It free for 1 month
- 💰 Rent first, decide later
- 🕒 Flexible finance available

**Ts & Cs apply.*

Buy Online

🌐 sollantcompressors.com.au

PACKAGED 4-IN-1 AIR COMPRESSORS

7.5 kW - 22 kW

Model	Power		Flow		Working Pressure		Receiver Tank	Dimensions (LxWxH mm)	Weight (kg)	Circuit Breaker	Air Outlet
	kW	hp	CFM	L/min	bar	psi					
SLTI-7.5V	7.5	10	17 - 38	500 - 1,100	8	116	285L	1600 x 750 x 1550	370	20 amps	3/4" BSP
			14 - 31	400 - 900	10	145					
SLTI-11V	11	15	28 - 61	800 - 1,750	8	116	325L	1770 x 750 x 1610	550	25 amps	3/4" BSP
			26 - 58	750 - 1,650	10	145					
SLTI-15V	15	20	38 - 84	1,100 - 2,400	8	116	325L	1800 x 800 x 1650	550	32 amps	3/4" BSP
			35 - 77	1,000 - 2,200	10	145					
			19 - 42	550 - 1,200	16	232					
SLTI-22V	22	30	58 - 127	1,650 - 3,600	8	116	400L (wet) 400L (dry) 800L Total	2200 x 1100 x 1850	900	50 amps	1.0" BSP
			51 - 113	1,450 - 3,200	10	145					
			37 - 81	1,050 - 2,300	16	232					
			24 - 55	700 - 1,570	20	290					

PACKAGED 4-IN-1 AIR COMPRESSOR 7.5 kW

SLTI-7.5



- POWER-7.5 kW 10 hp
- WEIGHT-370 kg
- WORKING PRESSURE 8-10 bar (116 - 145 psi)



PACKAGED 4-IN-1 AIR COMPRESSOR 11kW

SLTI-11



- POWER-11 kW 15hp
- WEIGHT-550 kg
- WORKING PRESSURE 8-10 bar (116 - 145 psi)



PACKAGED 4-IN-1 AIR COMPRESSOR 15 kW

SLTI-15



- POWER-15 kW 20hp
- WEIGHT-550 kg
- WORKING PRESSURE 8, 10, 16 bar (116 - 232 psi)




PACKAGED 4-IN-1 AIR COMPRESSOR 22kW

SLTI-22



- POWER-22 kW 30 hp
- WEIGHT-900 kg
- WORKING PRESSURE 8, 10, 16, 20 bar (116 - 290 psi)



PACKAGED 4-IN-1 AIR COMPRESSORS 7.5 kW-22 kW

SLTI-7.5

- 7.5 kW 10 hp
- 8-10 bar
- 1600 X 750 X 1550
- 370 kg



SLTI-11

- 11 kW 15 hp
- 8-10 bar
- 1770 X 750 X 1610
- 550 kg



SLTI-15

- 15 kW 20 hp
- 8, 10, 16 bar
- 1800 X 800 X 1650
- 550 kg



SLTI-22

- 22 kW 30 hp
- 8, 10, 16, 20 bar
- 2200 X 1100 X 1850
- 900 kg



Additional
Compressors
Available

SINGLE STAGE BASE MOUNTED COMPRESSORS

7.5 kW-45 kW



SLT-7.5



- 7.5 kW 10 hp
- 8-10 bar
- 950 X 690 X 930
- 215 kg

SLT-11



- 11 kW 15 hp
- 8-10 bar
- 1090 X 740 X 1085
- 320 kg

SLT-15



- 15 kW 20 hp
- 8-10 bar
- 1090 X 740 X 1085
- 320 kg

SLT-18.5



- 18.5 kW 25 hp
- 8-10 bar
- 1350 X 900 X 1180
- 470 kg

SLT-22



- 22 kW 30 hp
- 8-10 bar
- 1350 X 900 X 1180
- 470 kg

SLT-30



- 30 kW 40 hp
- 8-10 bar
- 1500 X 1050 X 1280
- 645 kg

SLT-37



- 37 kW 50 hp
- 8-10 bar
- 1540 X 1040 X 1280
- 645 kg

SLT-45



- 45 kW 60 hp
- 8-10 bar
- 1540 X 1040 X 1280
- 715 kg

Additional
Compressors
Available

TWO-STAGE SCREW AIR COMPRESSORS 22 kW - 45 kW



SLTT-22

- 22 kW 30 hp
- 8-10 bar
- 1610 X 1050 X 1380
- 732 kg



SLTT-30

- 30 kW 40 hp
- 8-10 bar
- 2200 X 1500 X 1450
- 1250 kg



SLTT-37

- 37 kW 50 hp
- 8-10 bar
- 2200 X 1500 X 1450
- 1284 kg



SLTT-45

- 45 kW 60 hp
- 8-10 bar
- 2200 X 1600 X 1450
- 1310 kg